




Nika



Textaafoam
Expect what's next in furniture fabrics

| Timeless



Nika

All-time favorite Nika is a structured beauty within our Timeless Collection. The Textafoam Timeless Collection represents all our creative essentials. Fabrics that offer the best value for money and suit every style all year round.

Woven on an air jet loom, piece dyed and available in a wide range of commercial and contemporary colours. The fine and elegant structure creates a nice and luxurious look. Nika will lift up your furniture and with a martindale of over 100.000 rubs it is strong and durable.

The composition is 100% virgin polyester for the face-side as well as the backing. The damp and dirt prevented treatment makes it easy to clean your furniture simply with a damp cloth, besides that Nika is also machine-washable at 30 degrees Celsius*. Loose fitted, tight fitted and also buttoned furniture will look amazing in this light mélange upholstery fabric.

During use a certain hairiness may appear, kindly note that this has no influence on the durability of the textile and can be taken away with a pilling machine.

- Dirt and damp prevention treatment applied.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.
- Please note that during washing the damp- and dirt prevented treatment will disappear faster.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside 100%PES
/ flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



anthracite 67



army 14



beige 05



brown 15



burgundy 34




cream 02



espresso 123



green 55



grey 65



hazel 96



lightgrey 60



lilac 70

Please note: colours may vary according to your screen settings.



liver 10



mint 50



mustard 06



onyx 169



royalblue 47



taupe 12



wenge 192

Please note: colours may vary according to your screen settings.

Nika - Article passport

A fine woven structured polyester upholstery fabric.
Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	100%PES	
Composition backside	100%PES	
Bonding	woven	
Statistic code	54075200	
Dyeing method	piece dyed	
Available colours	19	
Packaging	transparent plastic	

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>100.000		min. 16.000	min. 25.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4		min. 3-4	min. 4	B
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	4-5		min. 4	min.5	B/C
	middle colours	CTL	grade	4-5		min. 4	min.5	B/C
	dark colours	CTL	grade	4-5		min. 4	min.5	B/C
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	dark colours	CTL	grade	4-5	4	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Ignitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed				

Processing specifications

Minimum workable width in centimeters	± 143							
Roll length in meters	± 50							
Material weight in grams per linear meter	± 464							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.408	1.364	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	167,6	134,4	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	3,0	3,3	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	13,7	18,0	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				
	Oeko-Tex, product class II	Centexbel		certified				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	1,0	1,3	n/a	n/a	A/A
    		- Dirt and damp prevention treatment applied. - We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing. - Please note that during washing the damp- and dirt prevented treatment will disappear faster.						



Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl