



Reflect





Reflect

This luxurious upholstery fabric is in the Textaafoam Comfort Collection. A collection that consists only of soft, voluminous, and elegant upholstery fabrics.

Words such as softness, heavy, naturel, durable are typical characteristics for this premium quality. An aero-finish imparts the unique aspect and handfeel, this process is primarily used on woven fabrics, and it involves use of high -pressure air to create a raised, fluffy surface on this textile. Aero finishing is typically used to improve the texture and softness of the fabric, as well as to enhance its performance properties .

This is particularly important for fabrics that are intended for use in apparel or home furnishings, as consumers tend to prefer fabrics that feel comfortable and soft. The process is particularly effective on fabrics that have a tight weave such as Reflect.

The yarn is also very specific technic to achieve the best linen look yarn in polyester, it is not kind a regular polyester day yarn -textured and it gives the fabric very natural look like. Reflect has also been woven and finished by a vertical integrated family company, who is specialized in high-level textiles.

Reflect is suitable for all types of upholstery, especially loose-fitting upholstery fits perfect for this kind of textile. Due to the construction of this matte and authentic textile your sofa, chair and bed will get a boost in look & feel.

Our quality team recommends a minimum seam allowance of minimum 1 cm, and another kind advice is to overlock all seams for more stability, especially with tight upholstered furniture. For loose fitted upholstery models, please know that this fine textile is machine-washable at 30 degrees Celsius*.

When a stain appears, first remove it with a spoon, or another blunt object. After that, take a cotton towel, make it wet with lukewarm water, first wring it out and after that put it directly over the stain. Let the (cotton) towel lay so it can absorb the stain (24-48 hours). Advice: never rub over the fabric or stain, because then you will rub out the dye stuff and white / light spots will appear, especially on the darker colours.

Available in wide range of contemporary and naturel colours and available from stock.

- Always be careful with sharp or rough objects such as watches, buckles, or velcro, as they may damage the fabric.
- When a loop does occur, it can be easily pushed back into the fabric with a blunt object.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

Textaafoam originals Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.

Composition

/ faceside 100%PES
/ backside n/a
/ flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



beige 05



brick 128



brown 15




camel 09




darkblue 48



herb 214



ivory 101



lightgrey 60



linen 110



liver 10



mustard 06



natural 01


Please note: colours may vary according to your screen settings.



navy 49



powder 209



sage 203



slate 87



steel 149



teal 198



terra 31

Please note: colours may vary according to your screen settings.

Reflect - Article passport

Softness, heavy, naturel, durable are typical characteristics for this premium quality.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	100%PES	
Composition backside	n/a	
Bonding / Coating	n/a	
Statistic code	54076130	
Dyeing method	piece dyed	
Available colours	19	
Packaging	transparent plastic	

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	50.000		min. 16.000	min. 25.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4		min. 3-4	min. 4	B
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	4-5		min. 4	min.5	B-C
	middle colours	CTL	grade	4-5		min. 4	min.5	B-C
	dark colours	CTL	grade	4-5		min. 4	min.5	B-C
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	dark colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Ignitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed				

Processing specifications

Minimum workable width in centimeters	± 140							
Roll length in meters	± 20							
Material weight in grams per linear meter	± 1053							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.798	1.366	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	247,3	223,5	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	2,4	1,8	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				
	Oeko-Tex, product class II	Centexbel		certified				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	0,0	0,0	n/a	n/a	A/A
 - We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.								



Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl